

Extension

Warnings

Command: extension
Command XML Error on line 1, column 1.
Execution of this command stops.

Extension

Warnings

Command: extension
Command XML Error on line 1, column 1.
Execution of this command stops.

Extension

Warnings

Command: extension
Command XML Error on line 1, column 1.
Execution of this command stops.

Extension

Warnings

Command: extension
Command XML Error on line 1, column 1.
Execution of this command stops.

Extension

Warnings

Command: extension
Command XML Error on line 1, column 1.
Execution of this command stops.

Extension

Warnings

Command: extension
Command XML Error on line 1, column 1.
Execution of this command stops.

```

>Warning # 849 in column 23.  Text: in_ID
>The LOCALE subcommand of the SET command has an invalid parameter.  It could
>not be mapped to a valid backend locale.
DESCRIPTIVES VARIABLES=PRE_TEST POST_TEST
  /STATISTICS=MEAN STDDEV MIN MAX.

```

Descriptives

[DataSet0]

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
PRE_TEST	5	572,47	903,05	756,9560	127,9493
POST_TEST	5	723,84	1151,71	1005,488	167,1829
Valid N (listwise)	5				

```

EXAMINE VARIABLES=PRE_TEST POST_TEST
  /PLOT NPLOT
  /STATISTICS DESCRIPTIVES
  /CINTERVAL 95
  /MISSING LISTWISE
  /NOTOTAL.

```

Explore

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
PRE_TEST	,203	5	,200 [*]	,952	5	,751
POST_TEST	,338	5	,064	,834	5	,149

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

T-Test

Paired Samples Statistics

	Mean	N	Std. Deviation	Std. Error Mean
Pair 1 PRE_TEST	756,9560	5	127,9493	57,22067
POST_TEST	1005,488	5	167,1829	74,76645

Paired Samples Correlations

	N	Correlation	Sig.
Pair 1 PRE_TEST & POST_TEST	5	,958	,010

Paired Samples Test

		Paired Differences					t
					95% Confidence Interval of the Difference		
					Mean	Std. Deviation	
Pair 1	PRE_TEST - POST_TEST	-248,532	57,81339	25,85493	-320,317	-176,747	-9,613

Paired Samples Test

		df	Sig. (2-tailed)
Pair 1	PRE_TEST - POST_TEST	4	,001

```

ONEWAY POST_TEST BY PRE_TEST
/STATISTICS HOMOGENEITY
/MISSING ANALYSIS.

```

```

ONEWAY POST_TEST BY PRE_TEST
/STATISTICS HOMOGENEITY
/MISSING ANALYSIS.

```

End of job: 25 command lines 1 errors 0 warnings 3 CPU seconds

Your temporary usage period for IBM SPSS Statistics will expire in 5246 days.

Your temporary usage period for IBM SPSS Statistics will expire in 5244 days.